



1900ZXseries

Interactive Flat Panel Display
Catalogue



Touchable 1900ZX

Interactive Flat Panels Display

- **Touchable 1900ZX** interactive flat pane displays are designed as an open platform with excellent collaborative capabilities, ideal for meetings and presentations in corporate, Built-in Android 8.0 platform and are fully compatible Windows10 OS with open collaboration in mind.
- Featuring 4K UHD resolution on a 20-points touch screen. Built-in wide angle HD camera , array microphone and speakers, all seamlessly integrated into the display – just walk in and get your cloud meeting started. Is the perfect solution for meeting rooms or conference rooms looking to communicate better and collaborate easier.






Benefit



Certified:
Low Blue Light
低藍光技術



1900ZX 系列旗艦版智能會議平板

採用新式的電容式觸控屏，低藍光和護眼技術，超薄的鋼化玻璃屏幕使機身更輕更薄，內置高清攝像機及音響系統，可以應用在不同的視像會議軟件上，是一款高端的會議平台。



高性能配置

全新 Android 8.0 系統配合 4 核 CPU 和高容量存取空間，大幅提升整體效能支持更多應用軟件。也可選配 Win10 操作系統。



最新工藝

採用2mm 莫氏 7 級鋼化玻璃，可防刮、防撞擊及強光干擾。邊框與屏幕純平設計外觀更臻美，最薄之處只有 17mm。



高清會議

內置 1080P 全高清廣角攝像機，3-8米收音範圍能清晰將聲音傳送，輕鬆覆蓋議室每一角度。



高階音效

選配高階條型式音響器，環繞立體聲效果加強聽覺享受。



視覺保護

低藍光和防眩光設計為視覺提供更皆保護，長時間使用也不會疲累。



智能共享

支持智能手機，平板或 PC 透過無線方式隨時分享任何內容到屏幕上。跨站台和不受線路約束演示讓會議更有效率。



Touchable 1900ZX

Interactive Flat Panels Display



Capacitive Touch

Ultra Thin Panel

Android 8.0

Low Blue Light


1080P Camera

Array Microphone




Touchable 1900ZX

Interactive Flat Panels Display



(Back Side)



(Camera)



(Front Side I/O)



APPS (支持應用軟件)

- 以上所有應用軟件相關內容和版權由所屬公司擁有。
- 如安裝以上 APP 時有任何技術問題用戶需自行處理。
- 為確保個人私隱和網路安全，避免使用私人帳號操作APP。




Accessories (配件)




Screen Mirror (無線傳屏器)

- USB 2.0
- Click to sharescreen & sound
- Support Win7 /Win10 & MacBook
- Touch feed back



Stylus Pen (功能觸控筆)

- USB 2.0
- Support capacitive panel
- Up / Down & air mouse button
- Rechargeable



Fixed Wall Mount Bracket (壁掛式支架)

- VESA: 400x800 (mm)
- Max Loading 150kg



Peripheral (選配)



Soundbar (條型音箱系統)

- 1080P HD camera | 120° view angle | array microphone | volume & input source button



OPS (PC Module) (電腦模塊)

- Intel G8 i5 / i7 CPU | 8/16/32GB RAM | 128/250 SSD | Win10



Wireless Speaker Phone (無線音箱)

- 3 microphones | 360° coverage | Rechargeable | 2.4G Wireless



Specification (電器規格)

PANEL SPECIFICATION

Panel Size	65", 75" & 86"
Bonding	Air gap
Surface Treatment	2mm Tempered glass, Anti-Glare
Panel Type	LED (P-CAP)
Aspect Ratio	16:9
Maximum Resolution	3840(H) * 2160(V) Pixels
Backlight	Direct type LED
Response Time	> 8ms
Brightness with glass	>320cd/m2
Contrast Ratio	1200:1
Viewing Angle	Real 178°
Life Time	30,000 Hours
VESA	65" = 600mm * 400mm 75" = 800mm * 400mm 86" = 800mm * 400mm

DIMENSION & WEIGH

65 Inch (ZX65)	1508*946*85mm (39.5Kg)
75 Inch (ZX75)	1730*1070*85mm (50Kg)
86 Inch (ZX86)	1977*1210*85mm (64.5Kg)

AV

Speaker	15W *2
Camera	1080P, View angle 86°
Microphone	Mic array (Support 3-8 meter)

DISPLAY CONNECTOR

USB (Type-A)	Front side :USB2.0 *2, USB Touch *1 Rear side: USB 2.0 *2, USB3.0 (android) *1, USB3.0 Touch *1
USB (Type-C)	1 (for Soundbar)
HDMI	Front Interface: HDM1 IN *1 Rear Interface: HDMI IN*2 , HDMI OUT*1
VGA (15Pin D Sub)	Output x1
Audio (3.5mm jack)	Audio IN*1, MIC IN*1, Earphone *1, Optical out *1
RS232 Control Port	1
RJ45 Port (10/100 mbps)	1
OPS Slot (PC Module Slot)	1 (Support , 80pin, 4K@60Hz/30Hz)

TOUCH SYSTEM

Sensing Type	Capacitive touch
Touch Point	20 Points
Writing Point	PC : 10 Points , Android: 3 Points
Writing Tools	Stylus or Finger

SYSTEM

Android Version	8.0
CPU	64bit, A73 Dual Core + A53 Dual Core
GPU	Quad Core Mali G51
Memory	4GB RAM , 32GB ROM
WLAN / AP hotspot	2.4G WiFi / 2.4G & 5G hotspot
Mirror Cast	Max Support 4 devices at simultaneously
Support Image Format	PNG, JPEG, BMP, GIF
Support Video Format	H.263 , H.264, H.265, MPEG2, MPEG4, VC1, VP6, VP8, VP9, MJPEG, AVS, AVS+, AVS2, TS
Support Audio Format	MP3, PCM, AAC, APE, ADPCM, MID, FLAC
Power Input	AC 100V-240V , 50/60HZ , 250W
APP	Digital Whiteboard / Annotations / Screenshot / Mirror Cast Clock / Calendar / Calculator / Browser / Screen Record
Accessories	HDMI & Power cable , Stylus , Remote control , Wall mount



Fixed Mobile Stand (移動支架)

- 3 different manual height adjustment settings for different applications
- Mobile base for easy transport



Model: ST-R80

- Dimension (L*W*H): 900*600*1580mm
- Net Weight: 57.6kg
- Max Load: 130kg
- Load Size: 55~86inch
- Price: HK\$2,680



Model: ST-33

- Dimension (L*W*H): 1160× 661× 1597mm
- Net Weight: 23.5Kg
- Max Load: 100kg
- Load Size: 55~86inch
- Price: HK\$2,680



Adjustable Stand (電動升降支架)

- Fully adjustable height
- Electrical powered stand makes adjustments simple
- Quiet electrical motor



Adjustable Fix Stand

Model: ST-A01


- Dimension (L*W*H): 880*680*670~1320mm
 - * Net Weight: ~60kg
 - * Max Load: 120kg
 - * Load Size: 55~75inch
 - * Electric adjustable height
- Price: HK\$5,680



Adjustable Mobile Stand

Model: ST-Z5586D

- Dimension (L*W*H): 1350*850*992~1492mm
 - * Color: Black
 - * Max Load: 130kg
 - * Load Size: 55~86inch
 - * Electric adjustable height
- Price: HK\$6,880

A large digital display, likely a flat-panel display, is shown. The screen is dark gray and displays the text '1900ZXseries' in a large, bold, light blue font. Below this, the text 'Interactive Flat Panel Display' is written in a smaller, white font. The display is mounted on a wall, and the top edge of the screen is visible.


1900ZXseries

Interactive Flat Panel Display





Contact Us !



TEL: 2110 0304 | sales@touchable.com.hk

(The above pictures are for reference only and are subject to change without notice),
Copyright Touchable Limited @ March, 2020
<http://www.touchable.online>